

GENERAL PAIN INDEX QUESTIONNAIRE

We would like to know how much your pain presently prevents you from doing what you would normally do. Regarding each category, please indicate the overall impact your present pain has on your life, not just when the pain is at its worst.

Please **circle the number** which best describes how your typical level of pain affects these six categories of activities.

1. FAMIL	Y/AT-HOM	E RESPON	SIBILITIES	such as y	ard work, o	chores arou	ınd the hou	se or drivin	g the kids t	o school
0	1	2	3	4	5	6	7	8	9	10
		ABLE TO FU						TALLY UNA		
2. RECR I	EATION in	cluding hob	bies, sports	or other le	eisure activ	ities -				
0	1	2	3	4	5	6	7	8	9	10
(0)COI	MPLETELY	ABLE TO FU	JNCTION					TALLY UNA		
3. SOCIA	L ACTIVIT	Γ IES includi	ng parties, t	theater, co	ncerts, dini	ng -out and	l attending	other socia	I functions	-
0	1	2	3	4	5	6	7	8	9	10
(0)COI	MPLETELY	ABLE TO FU	JNCTION					TALLY UNA		
4. EMPL 0	OYMENT i	ncluding vo	lunteer wor	k and hom	emaking ta	sks -				
0	1	2	3	4	5	6	7	8	9	10
(0)COI	MPLETELY	ABLE TO FU	JNCTION				(10)TC	TALLY UNA	BLE TO FU	NCTION
5. SELF- (CARE suc	h as taking	a shower, d	riving or g	etting dress	sed -				
0	1	2	3	4	5	6	7	8	9	10
(0)COI	MPLETELY	ABLE TO FU	JNCTION				(10)TC	TALLY UNA	BLE TO FU	NCTION
6. LIFE-S	UPPORT	ACTIVITIES	S such as e	ating and s	sleeping -					
0	1	2	3	4	5	6	7	8	9	10
(0)COI	MPLETELY	ABLE TO FU	JNCTION					TALLY UNA		
PATIENT I	NAME						DATE	Ε		
SCORE_		[60]					BEN	CHMARK	=5 _	

Patient Summary	Form							Please	tructions e complete this	form within the s	specified timeframe.
Patient Information	V: 7/1/2015)		¬	-1-				www.r			om unless other-
			Female Male					Please	e review the Pla	n Summary for	more information.
Patient name Last	First	MI	— Viviale	•	Patient	date of t	oirth		1		
Patient address			City						State	Zip cod	Δ
atient address			Oity						Otate	Zip cou	•
Patient insurance ID#		Health plan				Grou	ıp number				
Referring physician (if applicable)		Date referral issue	ed (if applicabl	e)		Ref	erral numbe	r (if appli	cable)		
Provider Information											
I. Name of the billing provider or facility (as it will	annear on the claim	form)			2. Federal tax	(ID(TIN)	of entity in I	nox #1			
			2 DC 3 P	T 4 0		, ,			7 ATC 8	MT 9 C	Other ——
3. Name and credentials of the individual perforn	ning the service(s		2 DC 3 P	' #'	21 [3] BOILLE	and O		Care	7 410 6]m. [a]	
		,							Ĭ		
4. Alternate name (if any) of entity in box #1		5.1	NPI of entity in	box #1						6. Phone nur	nber
7. Address of the billing provider or facility indicate	ated in box #1			8. Ci	ty				9. State	10. Zi	p code
Provider Completes This Section:				:			:			gnosis (ICI	•
Date you want THIS				_ [Date of S	Surger 	<u>Y</u>		Plea	se ensure al entered acci	l digits are
submission to begin:	Cause of	Current Episod	<u>e</u>					1°			
	1 Traumatic	4 Post-surg	jical → 〈		Type of Sur	gery		-			
	(2) Unspecifie	d (5) Work rela	ated	(1)	ACL Reconst	ruction		2°			
Patient Type	(3) Repetitive	(6) Motor vel	nicle	(2)	Rotator Cuff/I	Labral F	Repair				
New to your office				(3)	Tendon Repa			3°			
(2) Est'd, new injury				(4)	Spinal Fusior						
(3) Est'd, new episode				(5) (6)	Joint Replace Other	ement		4°			
(4) Est'd, continuing care		DC ON	LV								
Nature of Condition		Anticipated C				9	Current F	unctio	nal Meas	ure Score	<u>ı</u>
1) Initial onset (within last 3 months)		98940	98942		Neck	Index		DAS	SH		
(2) Recurrent (multiple episodes of < 3		00041	98943]		(otl	her FOM)
(3) Chronic (continuous duration > 3 m	ionths)	98941	90943		Back I	Index		LE	FS		
Patient Completes This Section:							Indicate	where	you have	pain or otl	her symptom
(Please fill in selections completely)	Sympton	ns began on:						\bigcirc		(-	Ē,
									>	یر	
Briefly describe your sympton	ns:						} \ \	J	x 1	12	K71
2. How did your symptoms start	?						(9)	~~~	(6.1)	11K	. 111
	-						Ten (7	June ?	Paul (Ten !
3. Average pain intensity:							1	الدالد	40		1
Last 24 hours: no pain 0	1) (2) (3) (4 5 6 7	089	10	worst pain		((Y		(1	77)
Past week: no pain 0	1) (2) (3) (4 5 6 7	0 8 9	10	worst pain		Ì	JAKI) (<i>[</i> '(
4. How often do you experience			\cap					4		Es S	Con
(1) Constantly (76%-100% of the time)	2) Frequently	(51%-75% of the t	ime) (3) C)ccasio	nally (26% - 50)% of the	e time) (4	1) Interr	mittently (0°	%-25% of th	ne time)
5. How much have your sympton	\sim	-^	-/	$\overline{}$		ding both	h work outs	ide the l	home and h	ousework)	
1) Not at all (2) A little bit	(3) Moder	ately (4) Qui	te a bit (5) Ex	tremely						
6. How is your condition chang		~~			\circ	^			\sim	\sim	
0 N/A — This is the initial visit	(1) Much w	orse (2) Worse	(3) A little	worse	(4) No cha	nge (5	A little b	etter	(6) Bette	r (7) M	uch better
7. In general, would you say you	ur overall ho	ealth right nov	v is								
(1) Excellent (2) Very good	\sim	(4) Fair		5) Po	or						
Patient Signature: X	<u> </u>			_				Date	:		

Back Index

rev 3/27/2003

Patient Name	Date
--------------	------

This questionnaire will give your provider information about how your back condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- The pain comes and goes and is very mild.
- The pain is mild and does not vary much.
- The pain comes and goes and is moderate.
- 3 The pain is moderate and does not vary much.
- The pain comes and goes and is very severe.
- ⑤ The pain is very severe and does not vary much.

Sleeping

- O I get no pain in bed.
- ① I get pain in bed but it does not prevent me from sleeping well.
- ② Because of pain my normal sleep is reduced by less than 25%.
- 3 Because of pain my normal sleep is reduced by less than 50%.
- Because of pain my normal sleep is reduced by less than 75%.
- ⑤ Pain prevents me from sleeping at all.

Sitting

- ① I can sit in any chair as long as I like.
- ① I can only sit in my favorite chair as long as I like.
- 2 Pain prevents me from sitting more than 1 hour.
- 3 Pain prevents me from sitting more than 1/2 hour.
- Pain prevents me from sitting more than 10 minutes.
- ⑤ I avoid sitting because it increases pain immediately.

Standing

- ① I can stand as long as I want without pain.
- ① I have some pain while standing but it does not increase with time.
- ② I cannot stand for longer than 1 hour without increasing pain.
- 3 I cannot stand for longer than 1/2 hour without increasing pain.
- 4 I cannot stand for longer than 10 minutes without increasing pain.
- ⑤ I avoid standing because it increases pain immediately.

Walking

- ① I have no pain while walking.
- ① I have some pain while walking but it doesn't increase with distance.
- ② I cannot walk more than 1 mile without increasing pain.
- 3 I cannot walk more than 1/2 mile without increasing pain.
- I cannot walk more than 1/4 mile without increasing pain.
- ⑤ I cannot walk at all without increasing pain.

Personal Care

- ① I do not have to change my way of washing or dressing in order to avoid pain.
- ① I do not normally change my way of washing or dressing even though it causes some pain.
- 2 Washing and dressing increases the pain but I manage not to change my way of doing it.
- 3 Washing and dressing increases the pain and I find it necessary to change my way of doing it.
- Because of the pain I am unable to do some washing and dressing without help.
- **⑤** Because of the pain I am unable to do any washing and dressing without help.

Liftina

- ① I can lift heavy weights without extra pain.
- 1 can lift heavy weights but it causes extra pain.
- 2 Pain prevents me from lifting heavy weights off the floor.
- 3 Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- 4 Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- 5 I can only lift very light weights.

Traveling

- I get no pain while traveling.
- ① I get some pain while traveling but none of my usual forms of travel make it worse.
- ② I get extra pain while traveling but it does not cause me to seek alternate forms of travel.
- 3 I get extra pain while traveling which causes me to seek alternate forms of travel.
- 4 Pain restricts all forms of travel except that done while lying down.
- ⑤ Pain restricts all forms of travel.

Social Life

- ① My social life is normal and gives me no extra pain.
- ① My social life is normal but increases the degree of pain.
- 2 Pain has no significant affect on my social life apart from limiting my more energetic interests (e.g., dancing, etc).
- 3 Pain has restricted my social life and I do not go out very often.
- Pain has restricted my social life to my home.
- (5) I have hardly any social life because of the pain.

Changing degree of pain

- My pain is rapidly getting better.
- My pain fluctuates but overall is definitely getting better.
- ② My pain seems to be getting better but improvement is slow.
- 3 My pain is neither getting better or worse.
- My pain is gradually worsening.
- My pain is rapidly worsening.

Back Index Score

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100

Neck Index

Form N1-100

rev 3/27/2003	

Patient Name Date

This questionnaire will give your provider information about how your neck condition affects your everyday life. Please answer every section by marking the one statement that applies to you. If two or more statements in one section apply, please mark the one statement that most closely describes your problem.

Pain Intensity

- ① I have no pain at the moment.
- The pain is very mild at the moment.
- ② The pain comes and goes and is moderate.
- 3 The pain is fairly severe at the moment.
- The pain is very severe at the moment.
- The pain is the worst imaginable at the moment.

Sleeping

- ① I have no trouble sleeping.
- ① My sleep is slightly disturbed (less than 1 hour sleepless).
- 2 My sleep is mildly disturbed (1-2 hours sleepless).
- 3 My sleep is moderately disturbed (2-3 hours sleepless).
- My sleep is greatly disturbed (3-5 hours sleepless).
- ⑤ My sleep is completely disturbed (5-7 hours sleepless).

Reading

- ① I can read as much as I want with no neck pain.
- ① I can read as much as I want with slight neck pain.
- 2 I can read as much as I want with moderate neck pain.
- 3 I cannot read as much as I want because of moderate neck pain.
- 4 I can hardly read at all because of severe neck pain.
- (5) I cannot read at all because of neck pain.

Concentration

- I can concentrate fully when I want with no difficulty.
- ① I can concentrate fully when I want with slight difficulty.
- 2 I have a fair degree of difficulty concentrating when I want.
- 3 I have a lot of difficulty concentrating when I want.
- 4 I have a great deal of difficulty concentrating when I want.
- (5) I cannot concentrate at all.

Personal Care

- ① I can look after myself normally without causing extra pain.
- ① I can look after myself normally but it causes extra pain.
- 2 It is painful to look after myself and I am slow and careful.
- 3 I need some help but I manage most of my personal care.
- I need help every day in most aspects of self care.
- (5) I do not get dressed, I wash with difficulty and stay in bed.

Liftina

- ① I can lift heavy weights without extra pain.
- ① I can lift heavy weights but it causes extra pain.
- 2 Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned (e.g., on a table).
- 3 Pain prevents me from lifting heavy weights off the floor, but I can manage light to medium weights if they are conveniently positioned.
- I can only lift very light weights.
- ⑤ I cannot lift or carry anything at all.

Driving

- I can drive my car without any neck pain.
- ① I can drive my car as long as I want with slight neck pain.
- ② I can drive my car as long as I want with moderate neck pain.
- 3 I cannot drive my car as long as I want because of moderate neck pain.
- I can hardly drive at all because of severe neck pain.
- ⑤ I cannot drive my car at all because of neck pain.

Recreation

- ① I am able to engage in all my recreation activities without neck pain.
- ① I am able to engage in all my usual recreation activities with some neck pain.
- 2 I am able to engage in most but not all my usual recreation activities because of neck pain.
- 3 I am only able to engage in a few of my usual recreation activities because of neck pain.
- 4 I can hardly do any recreation activities because of neck pain.
- (5) I cannot do any recreation activities at all.

Work

- 1 can do as much work as I want.
- ① I can only do my usual work but no more.
- ② I can only do most of my usual work but no more.
- 3 I cannot do my usual work.
- I can hardly do any work at all.
- 5 I cannot do any work at all.

Headaches

- ① I have no headaches at all.
- ① I have slight headaches which come infrequently.
- 2 I have moderate headaches which come infrequently.
- 3 I have moderate headaches which come frequently.
- I have severe headaches which come frequently.

w.	i nave	neadaches	aimosi	all	me	ume

Neck Index Score

Index Score = [Sum of all statements selected / (# of sections with a statement selected x 5)] x 100



MN010-W120, PO Box 1459 | Minneapolis, MN 55440-1459 | Toll Free: (800) 873-4575 | Telephone: (763)595-3200 | Fax (763) 595-3333

The Keele STarT Back Screening Tool

	Patient name:						
	Thinking about the	last 2 weeks tic	k your response to	the following ques	tions:	No 0	Yes
1	Has your back pain	spread down yo	ur leg(s) at some tir	me in the last 2 wee	eks?		
2	Have you had pain	in the shoulder o	r neck at some time	e in the last 2 week	s?		
3	Have you only walk						
4	In the last 2 weeks,						
5	Do you think it's not really safe for a person with a condition like yours to be physically active?						
6	Have worrying thou						
7	Do you feel that you	oetter?					
8	8 In general have you stopped enjoying all the things you usually enjoy?						
9.							
	Total score (all 9)	:	Sub Scor	re (Q5-9):			

© Keele University 01/08/07 Funded by Arthritis Research UK